

# U.S.A. Made - Free Customer Support

## Elevating 6-Way Radiographic Table

medical devices

**CORE LABS**  
RADIOGRAPHIC  
TABLES

atlas<sup>RAD</sup>

SMOOTH TABLETOP DESIGN -- AN INDUSTRY MUST



- Hospital Grade Radiographic Table
- Space Saving Compact Design
- Elevating and Four-Way Floating Tabletop
- Durable and Reliable Design
- 650 Lb. Capacities
- Priced for Maximum Investment Return
- Solid Steel Scissor Lift - 3/4" Thick
- Durable Powder Coated Surfaces
- Smooth, Flat Tabletop For Patient Comfort
- Aircraft Aluminum & Steel Construction
- Ball Bearing, Linear Bearing & Bronze Bushing Motion Components
- Custom Hospital Grade Low Voltage Actuator - Expected 60,000 Full Capacity Cycle Life
- Slide Out PC Board For Easy Service / Installation

\*Shown with optional patient handles

Can be configured, optionally, to command a CoRE labs motorized OTS to automatically maintain a 40" SID

MADE IN



U. S. A.

O R T H O - H O S P I T A L - C L I N I C

The atlas elevating 6-way table is designed as a "stand alone" system, consisting of plug-in cables and a single board interface compatible with all standard x-ray equipment.

The tabletop electromagnetic locks are released by applying pressure to pedals located at front of the table.

The table height is adjustable to accommodate ambulatory, wheel chair, or gurney patients. Easier transfer is accomplished for both patient and operator.

With the atlas table, the operator can easily and quietly elevate and accurately position a patient weighing up to 600 pounds.

The vertical movement is motorized and controlled by applying pressure to the foot pedals.

In unique applications, optionally, the foot pedal controls can be configured to function only when an auxiliary button is depressed.

## Specification (Model No: 05-000)

Tabletop:	84" x 30.25"
Tabletop Height (motor driven with standard anti-collision feature):	23" to 34"
Side Clearance:	17"
Front & Rear Clearance:	5"
Cassette Holder Travel:	20"
Table Pedestal Length:	50.75"
Table Pedestal Width:	28.37"
Electrical requirements:	115VAC, 50/60 Hz, 10 Amps
Maximum Patient Weight:	600 lbs.
Transportation Weight:	620 lbs.
Compliance:	CDR21CFR, chapter 1, subchapter J.

## Options

Continuous SID Interface  
Carbon Fiber Tabletop  
Ion Chamber  
Secondary Switch, Foot Pedal Safety  
Buckies, Grids & Cassettes

CR - Computed Radiography Solutions  
DR - Digital Radiography Solutions  
**BARIATRIC MAGNET BOOSTER** for extra-strong table-top retention when loading patients.

## ATLAS 6-WAY TABLE CONFIGURATION

The atlas accepts cassettes, CR or DR solutions.

